



Smeermiddelenindustrie • Schmiermittelindustrie

DE OLIEBRON LUBRICATION(GD) CO.,LTD

TEL: +86 4008801150

Internet: <http://www.deoliebron.com>

E-mail: info@deoliebron.com

Lube-oil industry • Industrie Lubrifiant

4T Motorcycle HS 10W40

Description

A new generation semi-synthetic engine oil for four-stroke motorcycles formulated with high quality mineral and synthetic base oils combined with special developed balanced additives to achieve the following properties:

- a high and stable viscosity index
- good cold start properties
- optimal friction characteristics
- a very strong protection against wear, corrosion and foaming
- a very good detergency and dispersion

Application

This oil is special developed for the lubrication of four-stroke motorcycles, so that sliding, sticking and/or rough changing of the clutch-plates no longer occurs. This oil is developed and tested in co-operation with the most important motorcycle producers and has its performance demonstrated in the field.

Specifications

Performance level:

API SL

JASO MA2

JASO MA

Typicals

| | |
|--------------------------------------|--------|
| Density at 20 °C, kg/l | 0,858 |
| Viscosity -25 °C, mPa.s | 5744 |
| Viscosity 40 °C, mm ² /s | 101,19 |
| Viscosity 100 °C, mm ² /s | 14,82 |
| Viscosity Index | 153 |
| Flash Point COC, °C | 234 |
| Pour Point, °C | -36 |
| Total Base Number, mgKOH/g | 7,8 |
| Sulphate Ash, % | - |

